

A MERKLE-C KNIPRATH	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0.636	80.8	1120	464	841	0	20.3	0	0	0	65.5	268
	A	A	B	A	A	B	A	A	A	C	A	D
	-	-	mid	-	mid	-	-	-	-	-	-	mid
	-	-	high	-	high	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	07/13/11 from WTP IN HOME BASEMNT						C.	05/03/11 from WTP IN HOME BASEMNT				
B.	07/20/09 from ROOM 407						D.	07/25/11 from WTP IN HOME BASEMENT				

ASHKUM	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	5.85	23	0	579	335	0	0	0	0	0	80.9	254
	A	B	B	B	B	B	B	B	B	B	B	B
	mid	-	-	-	-	-	-	-	-	-	-	mid
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	10/05/11 from IRON REMOVAL PLANT						C.					
B.	05/06/10 from WELL 3 WEST OF RR TR						D.					

BAYLES LAKE LOT ASSOC.	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	121	0	0	987	0	51.8	0	0	0	31.1	36.1
	A	A	A	A	A	A	A	A	A	A	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	10/12/10 from WELL 7 ON WEST SIDE						C.					
B.							D.					

BEAVER CREEK VILLAGE MHP	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	57.3	853	245	52.5	21.5	26.7	0	0	0	32.5	16.6
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	mid	-	-	mid	-	-	-	-	-	-
	-	-	-	-	-	high	-	-	-	-	-	-
	-	-	-	-	-	over	-	-	-	-	-	-
A.	03/14/11 from S WELL INSIDE BLDG						C.	06/21/11 S WELL INSIDE BLDG				
B.	09/22/09 from LOT 10 BOX 272L						D.					

BEAVERVILLE	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	181	193	432	574	0	27.5	0	0	0	54.2	43.5
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	04/11/11 from WELL 1 IS INSIDE THE						C.	04/18/11 from WTP ON 3RD STREET				
B.	07/22/09 from 801 SAINT CHARLES ST						D.					

1/2	5	1000	650	2000	500	7.5	75	1	50	5	4500	250
3/4	7.5	1500	975	3000	750	11.25	100	1.5	75	7.5	6750	375
mcl	10	2000	1300	4000	1000	15	150	2	100	10	9000	500

Contaminants in light gray boxes are measured in micrograms per liter (µg/L). Contaminants in dark gray boxes are measured in milligrams per liter (mg/L). For simplicity, only one sample of lead and copper is given per water system. Multiple samples are usually taken from several different locations within each water system. Since the concentration levels vary according to location, we encourage you to visit the Illinois EPA website to determine lead and copper levels nearest your home. All records were compiled from the Illinois EPA Drinking Water Watch.

This form made available by Aquality Solutions® specifically for use with their Water Report Card and may not be republished without Aquality Solutions' consent.

The full Aquality Solutions Water Report Card with data on eight East-Central Illinois counties can be found at <http://www.4water1.com/reportcard>

BELMONT WATER, INC.	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	18.5	618	0	283	2010	0	28.3	0	0	0	78.3	15.7
	A	B	C	B	B	C	B	B	B	D	B	B
	mid	-	-	-	mid	-	-	-	-	-	-	-
	high	-	-	-	-	high	-	-	-	-	-	-
	over	-	-	-	-	over	-	-	-	-	-	-
A.	07/18/11 from WTP, SE CRNR OF SBDV						C.	09/13/10 from BOX 153A				
B.	12/14/09 from WTP, SE CRNR OF SBDV						D.	04/25/11 from WTP, SE CRNR OF SBDV				

BUCKLEY	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	0	116	1030	198	10.5	19	0	0	2.08	315	608
	A	A	B	A	A	B	A	A	A	C	A	D
	-	-	-	-	-	mid	-	-	-	-	-	mid
	-	-	-	-	-	-	-	-	-	-	-	high
	-	-	-	-	-	-	-	-	-	-	-	over
A.	10/27/10 from WTP ON RT.45 IN TOWN						C.	11/02/10 from WTP ON RT.45 IN TOWN				
B.	07/28/09 from LEAD COPPER 90TH						D.	12/16/10 from WTP ON RT.45 IN TOWN				

CHEBANSE	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	44	97	690	200	0	5	0	0	0.029	65	160
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	11/24/09 from EAST PLANT AT TOWER						C.	10/06/03 EAST PLANT AT TOWER				
B.	09/23/11 from 258 3RD SOUTH						D.					

CISSNA PARK	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	99.3	0	0	597	0	58.8	0	0	0	24.4	0
	A	A	A	A	A	A	A	A	A	A	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	10/12/10 from WELL 5 IN VILLAGE HA						C.					
B.							D.					

CLIFTON	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	36	920	1200	50	0	15	0	0	0	50	230
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	mid	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	04/13/11 from WTP AT ELEVATED TANK						C.	04/01/10 from WELL 3				
B.	09/22/11 from 220 EAST THIRD AVE						D.					

1/2	5	1000	650	2000	500	7.5	75	1	50	5	4500	250
3/4	7.5	1500	975	3000	750	11.25	100	1.5	75	7.5	6750	375
mcl	10	2000	1300	4000	1000	15	150	2	100	10	9000	500

Contaminants in light gray boxes are measured in micrograms per liter (µg/L). Contaminants in dark gray boxes are measured in milligrams per liter (mg/L).  
 For simplicity, only one sample of lead and copper is given per water system. Multiple samples are usually taken from several different locations within each water system. Since the concentration levels vary according to location, we encourage you to visit the Illinois EPA website to determine lead and copper levels nearest your home. All records were compiled from the Illinois EPA Drinking Water Watch.

This form made available by Aquality Solutions® specifically for use with their Water Report Card and may not be republished without Aquality Solutions' consent.

The full Aquality Solutions Water Report Card with data on eight East-Central Illinois counties can be found at <http://www.4water1.com/reportcard>

CRESCENT CITY	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	100	0	440	1300	0	59	0	0	0	36	94
	A	A	B	A	A	B	A	A	A	B	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
-	-	-	-	over	-	-	-	-	-	-	-	
A.	04/18/11 from WTP PART OF VILLHALL						C.					
B.	01/22/10 from WELL 2 WEST WELL OF						D.					

DANFORTH	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0.89	30.8	882	1140	214	0	16	0	0	1.39	124	345
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	mid	-	-	-	-	-	-	-	-	mid
	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	
A.	07/20/09 from WTP AT ELEVATED TANK						C.	04/13/11 from WTP AT ELEVATED TANK				
B.	07/27/09 from 201 NORTH CENTRAL ST.						D.					

DONOVAN	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	2.74	168	0	770	1010	0	22.1	0	0	0	54.2	0
	A	A	B	A	A	B	A	B	A	B	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
-	-	-	-	over	-	-	-	-	-	-	-	
A.	05/16/11 from WELL 2 ONE BLOCK EO						C.					
B.	02/25/10 from WELL 3						D.					

GILMAN	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	1.8	76	64	1100	1400	0	72	0	7.9	1.7	37	120
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
-	-	-	-	over	-	-	-	-	-	-	-	
A.	04/07/09 from PLANT ON RT. 45						C.	05/07/07 from PLANT ON RT. 45				
B.	08/31/11 from 311 SOUTH CENTRAL						D.					

IROQUOIS MOBILE ESTATES	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	20.4	0	438	360	0	0	0	0	0	63.1	260
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	-	-	-	-	-	-	-	mid
	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	
A.	03/03/11 from WELL 1 IN BUILDING						C.	05/03/11 from WELL 1 IN BUILDING				
B.	06/27/11 from LOT 4						D.					

1/2	5	1000	650	2000	500	7.5	75	1	50	5	4500	250
3/4	7.5	1500	975	3000	750	11.25	100	1.5	75	7.5	6750	375
mcl	10	2000	1300	4000	1000	15	150	2	100	10	9000	500

Contaminants in light gray boxes are measured in micrograms per liter (µg/L). Contaminants in dark gray boxes are measured in milligrams per liter (mg/L).  
 For simplicity, only one sample of lead and copper is given per water system. Multiple samples are usually taken from several different locations within each water system. Since the concentration levels vary according to location, we encourage you to visit the Illinois EPA website to determine lead and copper levels nearest your home. All records were compiled from the Illinois EPA Drinking Water Watch, and are accurate as of November 2009.

LAKE IROQUOIS ASSOC.	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	6.43	72	1020	0	1	0	0	0	0	180	90.6
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	04/21/09 from PLANT NEAR TOWER IN						C.	04/27/09 from PLANT NEAR TOWER IN				
B.	09/22/10 from 102 KIOWA						D.					

LODA	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	2	42	320	1600	1300	3	56	0	6	0.052	41	100
	A	A	B	A	A	B	A	A	A	A	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
	-	-	-	-	over	-	-	-	-	-	-	-
A.	04/15/09 from WTP AT TWR ON POPLA						C.					
B.	06/22/10 from 105 N LOCUST						D.					

MARTINTON	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	1.25	111	0	639	1260	0	21.2	0	0	0	51.9	0
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
	-	-	-	-	over	-	-	-	-	-	-	-
A.	04/27/09 from WTP-1 BLOCK N DWNTN						C.	05/23/11 from WTP-1 BLOCK N DWNTN				
B.	08/29/11 from 107 THIRD						D.					

MILFORD	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0.93	77	449	809	167	0	0	0	0	0.664	32.4	168
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	07/6/09 from WTP AT AXTEL						C.	04/18/11 from WTP AT AXTEL				
B.	09/10/10 from 226 PARK DRIVE						D.					

ONARGA	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	1.02	24.5	0	226	1990	0	91.5	0	0	0	62.2	472
	A	A	A	A	A	A	A	A	A	A	A	A
	-	-	-	-	mid	-	mid	-	-	-	-	mid
	-	-	-	-	high	-	-	-	-	-	-	high
	-	-	-	-	over	-	-	-	-	-	-	-
A.	02/25/10 from WELL 4 IS THE SOUTH						C.					
B.							D.					

1/2	5	1000	650	2000	500	7.5	75	1	50	5	4500	250
3/4	7.5	1500	975	3000	750	11.25	100	1.5	75	7.5	6750	375
mcl	10	2000	1300	4000	1000	15	150	2	100	10	9000	500

Contaminants in light gray boxes are measured in micrograms per liter (µg/L). Contaminants in dark gray boxes are measured in milligrams per liter (mg/L).  
 For simplicity, only one sample of lead and copper is given per water system. Multiple samples are usually taken from several different locations within each water system. Since the concentration levels vary according to location, we encourage you to visit the Illinois EPA website to determine lead and copper levels nearest your home. All records were compiled from the Illinois EPA Drinking Water Watch.

This form made available by Aquality Solutions® specifically for use with their Water Report Card and may not be republished without Aquality Solutions' consent.

The full Aquality Solutions Water Report Card with data on eight East-Central Illinois counties can be found at <http://www.4water1.com/reportcard>

PRAIRIEVIEW LUTHERAN	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
			108			0						
			A			A						
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	09/01/09 from RM 341 END OF HALL 3						C.					
B.							D.					

SHELDON	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	51	0	1010	595	0	17.6	0	0	0	46.5	0
	A	A	A	A	A	A	A	A	A	A	A	A
	-	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
	-	-	-	-	over	-	-	-	-	-	-	-
A.	12/07/10 from WELL 4 IS THE WEST O						C.					
B.							D.					

SUGAR CREEK MANF. HOME	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
			0			0						
			A			A						
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	09/14/10 from LOT #46 EAST CREEKSIDE CRT						C.					
B.							D.					

THAWVILLE	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	1.26	24	0	625	1520	0	53.2	0	0	0	62.2	306
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	mid	-	-	-	-	-	-	mid
	-	-	-	-	high	-	-	-	-	-	-	-
	-	-	-	-	over	-	-	-	-	-	-	-
A.	07/14/09 from WTP AT WELL NEAR RR						C.	10/25/11 from WTP AT WELL NEAR RR				
B.	07/21/09 from 108 S MELVIN BOX 11						D.					

WATCH E KEE MANF. HOME	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	76.2	0	709	388	0	35.7	0	0	0	68.9	11.8
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	03/09/11 from WEST WELL WELL 1						C.	06/30/11 from WELL 2, EAST WELL				
B.	09/27/11 from RT 1 BOX 98T-20						D.					

1/2	5	1000	650	2000	500	7.5	75	1	50	5	4500	250
3/4	7.5	1500	975	3000	750	11.25	100	1.5	75	7.5	6750	375
mcl	10	2000	1300	4000	1000	15	150	2	100	10	9000	500

Contaminants in light gray boxes are measured in micrograms per liter (µg/L). Contaminants in dark gray boxes are measured in milligrams per liter (mg/L).  
 For simplicity, only one sample of lead and copper is given per water system. Multiple samples are usually taken from several different locations within each water system. Since the concentration levels vary according to location, we encourage you to visit the Illinois EPA website to determine lead and copper levels nearest your home. All records were compiled from the Illinois EPA Drinking Water Watch.

This form made available by Aquality Solutions® specifically for use with their Water Report Card and may not be republished without Aquality Solutions' consent.

The full Aquality Solutions Water Report Card with data on eight East-Central Illinois counties can be found at <http://www.4water1.com/reportcard>

WATSEKA	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	5.9	165	0	227	900	0	15.7	0	0	0	63.6	0
	A	B	B	B	A	B	B	B	B	B	B	B
	mid	-	-	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	10/11/11 from INDUSTRIAL PK PLANT						C.					
B.	09/28/10 from WELL 7 AT WEST TOWER						D.					

WELLINGTON	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	150	120	1000	160	1	130	0	0	0	33	18
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	-	-	-	-	mid	-	-	-	-	-
	-	-	-	-	-	-	high	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.	12/31/09 from WTP AT TOWER						C.	05/25/10 from WTP AT TOWER				
B.	10/01/09 from 360 E MAIN						D.					

WOODLAND	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	270	934	322	1860	0	44.7	0	0	0.924	44.8	0
	A	A	B	A	A	B	A	A	A	C	A	A
	-	-	mid	-	mid	-	-	-	-	-	-	-
	-	-	-	-	high	-	-	-	-	-	-	-
	-	-	-	-	over	-	-	-	-	-	-	-
A.	05/18/11 from WELL 4 IS WEST OF PL						C.	11/02/11 from WQ PARAMETER DS RESU				
B.	08/19/09 from 405 HOBSON ST						D.					

	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	0	0	0	0	0	0	0	0	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.							C.					
B.							D.					

	Arsenic	Barium	Copper	Fluoride	Iron	Lead	Mangan.	Mercury	Nickel	Nitrate-N	Sodium	Sulfate
	0	0	0	0	0	0	0	0	0	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
A.							C.					
B.							D.					

1/2	5	1000	650	2000	500	7.5	75	1	50	5	4500	250
3/4	7.5	1500	975	3000	750	11.25	100	1.5	75	7.5	6750	375
mcl	10	2000	1300	4000	1000	15	150	2	100	10	9000	500

Contaminants in light gray boxes are measured in micrograms per liter (µg/L). Contaminants in dark gray boxes are measured in milligrams per liter (mg/L). For simplicity, only one sample of lead and copper is given per water system. Multiple samples are usually taken from several different locations within each water system. Since the concentration levels vary according to location, we encourage you to visit the Illinois EPA website to determine lead and copper levels nearest your home. All records were compiled from the Illinois EPA Drinking Water Watch.

This form made available by Aquality Solutions® specifically for use with their Water Report Card and may not be republished without Aquality Solutions' consent.

The full Aquality Solutions Water Report Card with data on eight East-Central Illinois counties can be found at <http://www.4water1.com/reportcard>